FLORIDA STATE UNIV TALLAHASSEE DEPT OF STATISTICS F/G 12/1
UNIFIED TREATMENT OF SOME INEQUALITIES AMONG RATIOS OF MEANS.(U)
OCT 79 E EL-NEWEIHI , F PROSCHAN AFOSR-78-3678
FSU-STATISTICS-M524 AFOSR-TR-79-1230 NI AD-A078 464

UNCLASSIFIED

OF!

AD A078464


















END DATE 1-80



DD 1 JAN 73 1473

400277 UNCLASSIFIED SECURITY CLASSIFICATION OF THIS BACE OF

UNIFIED TREATMENT OF SOME INEQUALITIES AMONG RATIOS OF MEANS

by

Emad El-Neweihi* and Frank Proschan**
University of Illinois at Chicago Circle
and
Florida State University

FSU Statistics Report M524 AFOSR Technical Report No. 78-101

October, 1979
The Florida State University
Department of Statistics
Tallahassee, Florida 32306

AMS Subject Classification (1970). Primary 26A86.

Key Words: Inequality among means, generalized means, majorization, Schur functions, monotonicity.

*Research sponsored by Air Force Office of Scientific Research, AFSC, USAF, under Grant AFOSR-76-3050C.

**Research sponsored by the Air Force Office of Scientific Research, AFSC, USAF, under Grant AFOSR-78-3678.

79 12 10 049

UNIFIED TREATMENT OF SOME INEQUALITIES AMONG RATIOS OF MEANS

by

Emad El-Neweihi and Frank Proschan

ABSTRACT

Using majorization and Schur-functions, Marshall, Olkin, and Proschan obtained a result concerning monotonicity of the ratio of means. This note shows that a slight extension of their result provides a unified method for obtaining and extending inequalities between means due to Chan, Goldberg, and Gonek, as well as deriving additional inequalities of the same type.

Accession			V
NTIS GR	Act	1	4
DDC TAB		1	4
Uncannoun	ced	1	
Justific	ation		
B7			
-		,	
Distribu			
Aveilal	ilit	y Cod	les
-1.	valle	nd lo	1.
	vali	1.1	-
Dist	spec	lar	
		1	
N		1	
a		1	

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DDC
This technical report has been reviewed and is
approved for public release IAN AFR 190-12 (7b).
Distribution is unlimited.
A. D. BLOSE
Technical Information Officer

1. Introduction. Chan, Goldberg, and Gonek [1] show that:

(1)
$$\left[\frac{x^p + y^p}{(1-x)^p + (1-y)^p} \right]^{1/p} < \left[\frac{x^q + y^q}{(1-x)^q + (1-y)^q} \right]^{1/q},$$

where $0 \le x < y$, x + y < 1, and p < q; and

(2)
$$\left[\frac{\sum_{i=1}^{n} x_{i}^{-p}}{\sum_{i=1}^{n} (1-x_{i})^{-p}}\right]^{-1/p} \leq \left[\frac{\sum_{i=1}^{n} x_{i}^{-q}}{\sum_{i=1}^{n} (1-x_{i})^{-q}}\right]^{-1/q}$$

where $0 \le x_1 \le 1/2$ and p > 0. Strict inequality holds in (2) unless $x_1 = x_2 = \dots = x_n$.

Earlier, Marshall, Olkin, and Proschan [2] showed:

(3)
$$\begin{bmatrix} \frac{n}{\sum_{i=1}^{n} \lambda_{i} a_{i}^{r}} \\ \frac{i=1}{n} \lambda_{i} b_{i}^{r} \\ i=1 \end{bmatrix}^{1/r}$$
 is increasing in r,

where $a_1 \ge a_2 \ge ... \ge a_n > 0$, $b_1 \ge b_2 \ge ... b_n > 0$, $\frac{b_1}{a_1} \le \frac{b_2}{a_2} \le ... \le \frac{b_n}{a_n}$, and $\lambda_i > 0$, i = 1, ..., n, $\sum_{i=1}^{n} \lambda_i = 1$.

Result (3) was obtained using majorization and Schur-functions (for definitions see [2]).

The main purposes of this note are to show that using (3), (a) inequalities (1) and (2) can be proved in a unified way, (b) (1) and (2) can be extended, and (c) additional inequalities of a similar type can be obtained.

2. Main Results. Before we state and prove the main results, we present several remarks:

Remark 2.1. It is easy to verify that (3) holds even if certain of the a;'s are equal to zero.

Remark 2.2. Careful inspection of the proof of (3) shows that in certain cases the ratio in (3) is strictly increasing in r.

We may now prove:

Theorem 2.3. Let $0 \le x < y$, x + y < 1, $0 < \lambda < 1$, and p < q. Then

(4)
$$\left[\frac{\lambda x^{p} + (1-\lambda)y^{p}}{\lambda(1-x)^{p} + (1-\lambda)(1-y)^{p}}\right]^{1/p} < \left[\frac{\lambda x^{p} + (1-\lambda)y^{q}}{\lambda(1-x)^{q} + (1-\lambda)(1-y)^{q}}\right]^{1/q}.$$

<u>Proof.</u> Clearly (1 - x)x < (1 - y)y. Let $a_1 = y$, $a_2 = x$, $b_1 = 1 - x$, and $b_2 = 1 - y$. Inequality (4) follows from (3) by Remark 2.2. ||

Setting $\lambda = \frac{1}{2}$ in (4) we get (1) as a special case.

The same technique yields an extension of Inequality (2):

Theorem 2.4. Let $0 \le x_i \le \frac{1}{2}$, i = 1, ..., n, p > 0, $\lambda_i \ge 0$, i = 1, ..., n, and $\sum_{i=1}^{n} \lambda_i = 1$. Then

(5)
$$\left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{-p}}{\sum_{i=1}^{n} \lambda_{i} (1-x_{i})^{-p}}\right]^{-1/p} < \left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{p}}{\sum_{i=1}^{n} \lambda_{i} (1-x_{i})^{p}}\right]^{1/p}$$

unless $x_1 = x_2 = \dots = x_n$.

<u>Proof.</u> Let $x_{[1]} \ge x_{[2]} \ge \dots \ge x_{[n]}$ denote the decreasing rearrangement of x_1, \dots, x_n from now on. Let $a_i = x_{[i]}, b_i = (1 - x_{[i]})^{-1}, i = 1, \dots, n$. Since -p (1 - x_{[i]})^{-1}x_{[j]} \le (1 - x_{[j]})^{-1}x_{[i]} for i < j, we have by (3):

(6)
$$\left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{-p}}{\sum_{i=1}^{n} \lambda_{i} (1-x_{i})^{p}}\right]^{-1/p} < \left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{p}}{\sum_{i=1}^{n} \lambda_{i} (1-x_{i})^{-p}}\right]^{1/p}$$

unless $x_1 = x_2 = \dots = x_n$ (see Remark 2.2). The desired result follows from (6). ||

Note that (2) is a special case of (5) by setting $\lambda_i = \frac{1}{n}$, $i = 1, \ldots, n$. Finally, Theorem 2.5 below yields an inequality similar to (1) and (2). This illustrates that majorization and Schur-functions can be used to generate through (3) a host of inequalities similar to (1) and (2).

Theorem 2.5. Let $x_i \ge 0$, $\lambda_i > 0$, $i = 1, \ldots, n$, $\sum_{i=1}^{n} \lambda_i = 1$, and p < q. Then:

(7)
$$\left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{p}}{\sum_{i=1}^{n} \lambda_{i} (1+x_{i})^{p}} \right]^{1/p} \leq \left[\frac{\sum_{i=1}^{n} \lambda_{i} x_{i}^{q}}{\sum_{i=1}^{n} \lambda_{i} (1-x_{i})^{q}} \right]^{1/q}.$$

Strict inequality holds in (7) unless $x_1 = x_2 = \dots = x_n$.

<u>Proof.</u> Let $a_i = x_{[i]}$ and $b_i = 1 + x_{[i]}$, i = 1, ..., n. Since $\frac{1+x}{x}$ is decreasing, we apply (3) to get the desired result. By Remark 2.2, strict inequality holds in (7) unless $x_1 = x_2 = ... = x_n$.

REFERENCES

- 1. F. Chan, D. Goldberg, and S. Gonek, On extensions of an inequality among means. Proc. Amer. Math. Soc. 42 (1974), 202-207.
- A. W. Marshall, I. Olkin, and F. Proschan, Monotonicity of ratios of means and other applications of majorization. Inequalities, ed. by O. Shisha. Academic Press, New York (1967), 177-190.

INCLUSIONED

SHOWING CLASSISTEMATION OF THIS D

	REPORT DOCUMENTATION PAGE	SE
I.	FOSR-TR- 79-1236. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4.	TITLE (and Subtitle) UNIFIED TREATMENT OF SOME INEQUALITIES AMONG RATIOS OF MEANS	5. TYPE OF REPORT & PERIOD COVERED Interim 6. PERFORMING ORG. REPORT NUMBER FSU No. M524
	AUTHOR(s) Emad El-Neweihi Frank Proschan	8. CONTRACT OR GRANT NUMBER(s) AFOSR-78-3678
9.	The Florida State University Department of Statistics Tallahassee, Florida 32306	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61102F
11.	CONTROLLING OFFICE NAME AND ADDRESS Air Force Office of Scientific Research/NM Bolling Air Force Base, Washington, DC 20332	12. REPORT DATE October, 1979 13. NUMBER OF PAGES 4
14.	MANITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS (of this report Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
	Approved for public release; distribution unlimited. DISTRIBUTION STATEMENT (of the abstract entered in I	Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

IF. KEY WORDS

Inequality among means, generalized means, majorization, Schur functions, monotonicity.

20. AESTVACT

Using majorization and Schur-functions, Marshall, Olkin, and Proschan obtained a result concerning monotonicity of the ratio of means. This note shows that a slight extension of their result provides a unified method for obtaining and extending inequalities between means due to Chan, Goldberg, and Gonek, as well as deriving additional inequalities of the same type.